

Superconductivity and multiple pressure-induced phases in BaPt₂As₂

C. Y. Guo,¹ W. B. Jiang,¹ M. Smidman,¹ F. Han,^{2,3,4} C. D. Malliakas,^{2,5} B. Shen,¹
Y. F. Wang,¹ Y. Chen,¹ X. Lu,^{1,6} M. G. Kanatzidis,^{2,5} and H. Q. Yuan^{1,6,*}

¹*Center for Correlated Matter and Department of Physics, Zhejiang University, Hangzhou, 310058, China*

²*Materials Science Division, Argonne National Laboratory, Argonne, Illinois 60439, United States*

³*HPSynC, Geophysical Laboratory, Carnegie Institution of Washington, Argonne, Illinois 60439, United States*

⁴*Center for High Pressure Science and Technology Advanced Research, Beijing 100094, P. R. China*

⁵*Department of Chemistry, Northwestern University, Evanston, Illinois 60208, United States*

⁶*Collaborative Innovation Center of Advanced Microstructures, Nanjing 210093, China*

(Dated: October 24, 2016)

The newly discovered BaPt₂As₂ shows a structural distortion at around 275 K, followed by the emergence of superconductivity at lower temperatures. Here we identify the presence of charge density wave (CDW) order at room temperature and ambient pressure using single crystal x-ray diffraction, with both a superlattice and an incommensurate modulation, where there is a change of the superlattice structure below $\simeq 275$ K. Upon applying pressure, BaPt₂As₂ shows a rich temperature-pressure phase diagram with multiple pressure-induced transitions at high temperatures, the emergence or disappearance of which are correlated with sudden changes in the superconducting transition temperature T_c . These findings demonstrate that BaPt₂As₂ is a promising new system for studying competing interactions and the relationship between high-temperature electronic instabilities and superconductivity.

PACS numbers: 71.45.Lr, 74.70.Xa, 74.25.Dw, 74.62.Fj

I. INTRODUCTION

The presence of competing interactions and multiple electronic instabilities often leads to emergent phenomena and new phases. In particular, the complex relationship between superconductivity and magnetic or charge order has attracted considerable interest. In many of the high temperature iron pnictide superconductors, the superconductivity occurs in the vicinity of spin-density-wave (SDW) order^{1,2}. Meanwhile upon applying pressure to the heavy fermion superconductor CeCu₂Si₂³, evidence was found for superconductivity being in close proximity to multiple instabilities, with one superconducting dome in the vicinity of magnetic order and another near a possible valence instability⁴⁻⁶. The interplay between charge-density-wave (CDW) order and superconductivity has also been of particular interest recently^{7,8}, mainly due to the coexistence of these competing phases in some systems, with a similar phase diagram to systems with SDW and superconductivity⁹, as well as the observation of CDW in the high temperature cuprate superconductors. In the cuprates, the role of CDW order in the formation of superconductivity remains a central and open issue¹⁰⁻¹⁵, but the microscopic relationship is still unresolved.

Structural distortions have also been found to occur in various iron based superconductors¹⁶. For instance, upon lowering the temperature of electron doped BaFe₂As₂, the symmetry of the crystal lattice is reduced from the four-fold symmetry of the ThCr₂Si₂ structure, to a two fold symmetric orthorhombic structure, while SDW ordering onsets at lower temperatures^{17,18}. There is an increasing body of evidence that this distortion does not

arise due to phonons¹⁹, but is from an electronic instability, the nematic order, which may be driven by either spin or orbital/charge fluctuations²⁰. The suppression of both the nematicity and SDW ordering in the region of the superconducting dome, again indicates the importance of understanding the relationship between the various ordered phases and underlying interactions. On the other hand, there also exist some non-iron based 122 pnictide superconductors RT_2Pn_2 ($R = \text{Ba or Sr}$, $T = \text{transition metal}$ and $Pn = \text{pnictogen}$) which undergo structural distortions upon cooling²¹⁻²³. A comparison with the iron based materials may provide crucial insights into the roles of various interactions and the resulting collective phenomena.

Unlike the 122 iron pnictide superconductors which crystallize in the ThCr₂Si₂ structure ($I4/mmm$), SrPt₂As₂ forms in the CaBe₂Ge₂-type structure ($P4/nmm$) at high temperatures. Both are layered tetragonal structures but they have different stacking of the layers of transition metal and As atoms along the c axis. A further difference from the iron pnictides is that in the Pt based materials, spin fluctuations are not generally expected to play a significant role. Below $T_{CDW} = 470$ K, the crystal structure of SrPt₂As₂ undergoes an orthorhombic distortion and CDW ordering²⁴⁻²⁷, with a superconducting transition at a lower temperature of 5.2 K²². Similarly in the newly discovered BaPt₂As₂ with a resistive transition at $T_c = 1.67$ K²⁸, a first order phase transition appears at about 275 K, at which a structural phase transition from the tetragonal CaBe₂Ge₂-type structure to an orthorhombic structure was found using powder x-ray diffraction (XRD)²⁸. In this article, we demonstrate using single crystal XRD measurements that a CDW state already exists at room




FIG. 1. Reciprocal space reconstruction of single crystal XRD. (a) Simulated diffraction peaks in the $(hk0)$ plane of reciprocal space for the CaBe_2Ge_2 -type structure. (b) Reciprocal space reconstruction of the single crystal XRD data collected at 300 K and (c) 100 K. At 300 K other than the simulated peaks of the CaBe_2Ge_2 -type structure there are satellite peaks which can be indexed with a $2 \times 2 \times 2$ superlattice and an incommensurate modulation with a propagation vector $\mathbf{q}_1 = (0.1, 0.3, 0)$. At 100 K additional satellite peaks corresponding to a $6 \times 6 \times 2$ superlattice are observed.




FIG. 2. (a) Temperature dependence of the resistivity of BaPt_2As_2 at various pressures. The different high temperature transitions are denoted by T_1 , T_2 , T_3 and T_4 . The resistivity upon warming and cooling is shown in the vicinity of (b) T_1 at 4 kbar, (c) T_2 at 9 kbar, and (d) T_3 and T_4 at 17 kbar. In (c) the derivative $d\rho/dT$ is also shown by the solid line, which shows a clear change at T_2 .

temperature in BaPt_2As_2 and the structural transition at $T_1 \simeq 275$ K corresponds to a change in the CDW superlattice. To study the relationship between superconductivity and the CDW state, we performed resistivity measurements under pressure, which reveal a rich temperature-pressure phase diagram with multiple pressure-induced transitions, the emergence of which are correlated with sudden changes in T_c .

II. EXPERIMENTAL METHODS

Single crystals of BaPt_2As_2 were synthesised using a self-flux method described in Ref 28. Resistivity measurements under pressure were carried out using a piston-

cylinder-type pressure cell up to 27 kbar, and Daphne 7373 was used as the pressure transmitting medium, to ensure hydrostaticity. The applied pressure was determined by the shift in T_c of a high quality Pb single crystal. Measurements were performed using a Physical Property Measurement System (Quantum Design PPMS-14T) in the temperature range of 2 K to 300 K, while measurements from 0.3 K to 5 K were performed using a ^3He refrigerator. Single-crystal XRD from room temperature to 100 K was carried out on a STOE IPDS II diffractometer at the Argonne National Laboratory, using an Mo source ($\lambda = 0.71073 \text{ \AA}$). Reciprocal space reconstruction of the single crystal XRD data was performed with the software X-Area.

III. RESULTS

A. Single crystal x-ray diffraction

A simulation of the diffraction peaks in the $(hk0)$ plane for the tetragonal CaBe_2Ge_2 -type structure ($P4/nmm$) is shown in Fig.1(a), while the reciprocal space reconstruction of single crystal XRD data at 300 K and 100 K are shown in Figs.1 (b) and (c) respectively. Reflections are labeled with the Miller indices of the CaBe_2Ge_2 -type structure ($P4/nmm$).

In the previous powder XRD measurements²⁸, we reported a structural phase transition at 275 K from a tetragonal CaBe_2Ge_2 -type structure to an orthorhombic one. Based on the current single crystal XRD results, it should be noted that neither the reflections at 300 K nor 100 K could be satisfactorily indexed with a perfect CaBe_2Ge_2 -type crystal structure. From comparing the experimental data at both 300 K and 100 K with the simulated reflections, we observe a number of additional peaks arising from complex CDW modulations. If we index the single crystal XRD data by introducing




FIG. 3. (Color online) (a) Resistivity of BaPt₂As₂ at various pressures, near the superconducting transition. (b) The upper critical field (H_{c2}) of BaPt₂As₂ as a function of T/T_c at various pressures, normalized by the product of T_c and the slope of H_{c2} near T_c .

an orthorhombic distortion, the lattice parameters at 300 K are $a = 4.5608(10)$ Å, $b = 4.5643(12)$ Å and $c = 10.0420(20)$ Å, while at 100 K, $a = 4.5489(9)$ Å, $b = 4.5700(11)$ Å and $c = 10.0192(22)$ Å. These results indicate that even at room temperature, the CDW modulations induce a small difference in a and b , which becomes larger below 280 K. Subsequent analysis of the data at 300 K reveals peaks corresponding to $2 \times 2 \times 2$ superlattice structure, where the unit cell is doubled in all directions, along with an incommensurate modulation $\mathbf{q}_1 = (0.1, 0.3, 0)$. Reflections which are forbidden for the CaBe₂Ge₂-type structure such as $(1, 0, 0)$ and $(0, 1, 0)$ and the half fractional peaks such as $(-1/2, -1/2, 0)$ arise from the $2 \times 2 \times 2$ superlattice structure while the peaks at the position of $(0.1, 0.3, 0)$ around the superlattice peaks arise from the incommensurate modulation. A comparison of the data from 300 K to 285 K shows no change in the structure of BaPt₂As₂. From 280 K to 100 K, BaPt₂As₂ enters a new phase in which the symmetry further lowers to a $6 \times 6 \times 2$ superlattice structure while the incommensurate modulation \mathbf{q}_1 remains the same, as indicated by the appearance of new fractional peaks such as $(2/3, 0, 0)$ and $(0, 2/3, 0)$. Therefore these results demonstrate that the CDW state is already present at room temperature, but there is a change in CDW structure below 280 K, along with an increased orthorhombic distortion.

B. Resistivity under pressure

The temperature-pressure phase diagram of BaPt₂As₂ was determined by measuring the resistivity under pressure. As shown in Fig. 2(a), at $p = 3$ kbar, there is a sudden increase of the resistivity upon cooling at about $T_1 \simeq 250$ K, which is similar to the previously re-




FIG. 4. (Color online) Resistivity as a function of T^2 at several pressures with the residual values of ρ_0 subtracted. The solid lines show fits to a $\sim T^2$ dependence in the normal state.

ported results at ambient pressure²⁸ and corresponds to a change of the CDW structure. With increasing pressure, the temperature of this transition decreases, before abruptly disappearing above $p_1 \simeq 7$ kbar. After T_1 disappears, a new transition labelled as T_2 is observed, where there is only a small anomaly in the resistivity and little change with increasing pressure. For pressures greater than $p_2 \simeq 17$ kbar, T_2 disappears and two new transitions emerge at T_3 and T_4 , with the former corresponding to an increase of the resistivity upon cooling while the latter shows a sudden decrease. These transitions have a different pressure dependence with the lower transition T_3 being rapidly suppressed with increasing pressure, while T_4 increases with pressure. Note that apart from T_2 , all the transitions display pronounced hysteresis, as shown in Figs.2(b)-(d), indicating a first-order nature. It can also be seen that there is an increase in resistivity at T_1 and T_3 while it drops at T_4 .

Figure 3(a) displays the resistivity under pressure at low temperatures, in the vicinity of the superconducting transitions. At ambient pressure, T_c is about 1.6 K, determined from where the resistivity reaches 50% of the normal state value $\rho_0 \simeq 174$ $\mu\Omega\text{cm}$, similar to that previously reported²⁸. With increasing pressure, the superconducting transition sharpens and T_c undergoes a moderate enhancement at around 7 kbar which is close to p_1 , to around 2 K, along with a small decrease of ρ_0 . Further increasing the pressure up to 13 kbar results in little change of T_c . However, upon applying pressures greater than 13 kbar, there is another jump in T_c which is larger in size, reaching a near constant value above 17 kbar. The superconducting transition at 17 kbar is significantly broader than that at both lower and higher pressures, which may be due to a pressure inhomogeneity, leading to the coexistence of both superconducting phases. The newly emerged superconducting phase has the highest $T_c \simeq 3.8$ K, the lowest residual resistivity in the normal state, and T_c




FIG. 5. (Color online) (a) Temperature-pressure phase diagram of BaPt₂As₂ showing both the high temperature and superconducting transitions. (b) Pressure dependence of the residual resistivity ρ_0 and A coefficient.

changes little with pressure up to 26 kbar. The upper critical field $H_{c2}(T)$ at different pressures is shown in Fig. 3(b). The values of H_{c2} were measured in three regions of the temperature-pressure phase diagram (0, 7 and 19 kbar), and were normalized by the product of T_c and the derivative of H_{c2} near T_c . When the normalized H_{c2} is plotted as a function of T/T_c , all the data falls on one curve, in good agreement with the orbital limited values of H_{c2} calculated using the Werthamer-Helfand-Hohenberg (WHH) model shown by the dashed line²⁹. This suggests that there is no change of the superconducting pairing state under pressure and that orbital limiting rather than Pauli limiting is the dominant pair breaking mechanism. Meanwhile as displayed in Fig. 4, the low temperature normal state resistivity could be well fitted with Fermi liquid behavior, $\rho(T) = \rho_0 + AT^2$.

Figure 5(a) displays the temperature-pressure phase diagram obtained from resistivity measurements. Two abrupt enhancements of T_c occur under pressure, both of which clearly coincide with changes in the high temperature phase transitions. At $p_1 \simeq 7$ kbar, the CDW transition at T_1 disappears and a new transition T_2 is observed. This change is accompanied by an enhancement of T_c . Upon further increasing the applied pressure, there is little change of T_2 up to $p_2 \simeq 17$ kbar, where the transition at T_2 is no longer observed and two new phase transitions emerge. The transition at T_3 decreases with increasing pressure before being suppressed at less than 22 kbar, while T_4 increases with pressure, reaching 290 K at 24 kbar. The appearance of these transitions is accompanied by another pronounced enhancement of T_c by almost a factor of two. The critical pressure for the emergence of T_3 and T_4 is slightly lower than that corresponding to the jump in T_c . This may be due to the variation in the pressure transmitted by the Daphne 7373 medium with temperature, which can cause

a pressure increase of around 1-2 kbar between 300 K and low temperatures³⁰. Furthermore, the results from fitting the resistivity in the normal state are shown in Fig. 5(b). Each step like increase of T_c coincides with a drop in ρ_0 , with a small decrease at the disappearance of T_1 and a larger drop at the emergence of T_3 and T_4 . Meanwhile the resistivity coefficient A undergoes a sharp drop at p_1 followed by a sudden increase at p_2 . Furthermore, neither ρ_0 or A display any noticeable anomaly upon the disappearance of the transition at T_3 .

IV. DISCUSSION AND SUMMARY

The above results demonstrate an intricate relationship between the superconductivity and the high temperature transitions in BaPt₂As₂. The nature of the transitions at T_2 , T_3 and T_4 are yet to be uncovered. In comparison, SrPt₂As₂ undergoes a structural phase transition below $T_{CDW} = 470$ K, from a tetragonal to orthorhombic structure²⁵, with two incommensurate CDW modulations emerging^{24,26}. However, in BaPt₂As₂ at ambient pressure the orthorhombic distortion and CDW modulation already exist above T_1 and this transition corresponds to a change of the periodicity of the superlattice. Furthermore, there is a sudden increase in the resistivity at T_1 as in the case of the structural transition in SrNi₂P₂³¹, whereas there is a drop in the resistivity at T_{CDW} in SrPt₂As₂. However, the behaviour of BaPt₂As₂ above 22 kbar more strongly resembles that of SrPt₂As₂, since we observe a drop in the resistivity at T_4 and there is a comparable value of T_c .

If then the transition under pressure at T_4 is similar to that of SrPt₂As₂ at ambient pressure, the differences in the CDW modulation and high temperature crystal structures may explain the different behavior of the resistivity seen at T_1 and T_4 . This suggests the possibility that the CDW state below T_1 disappears at p_1 , above which only a weak anomaly at T_2 is observed. Furthermore, it is not clear whether the CDW state observed at ambient pressure and room temperature persists upon the application of pressure and it may be that the transition at T_2 lies beneath a CDW transition at higher temperatures. At p_2 a different CDW state may emerge. However, while CDW states generally compete with superconductivity, in this instance the emergence of the transition at T_4 leads to a significant enhancement of T_c , rather than a decrease. The dramatic change in both ρ_0 and the A coefficient at p_2 suggests this may correspond to a sudden change in the electronic structure and Fermi surface topology. Such changes may lead to an enhanced density of states, which in turn may cause the significant increase of T_c and A .

The transition at T_3 , which appears under T_4 up to around 19 kbar, may then correspond to a further lowering of the crystal symmetry or a change in the modulation vector \mathbf{q} of the CDW state. A change of \mathbf{q} can lead to different behavior of the resistivity since this changes the

reconstructed Fermi surface, with the CDW gap opening across different regions. However for these scenarios, it would be unusual that there is little change in T_c upon the disappearance of T_3 . As previously discussed, at ambient pressure there is a structural distortion at T_1 corresponding to a significantly increased orthorhombicity. Since both T_3 and T_4 have a similar first order nature, whether these transitions correspond to changes in either the crystal symmetry or structural parameters needs to be checked with XRD measurements under pressure. All these results suggest the presence of both structural and electronic instabilities in the temperature-pressure phase diagram. In light of the recent evidence that the nematic order in the iron pnictide based superconductors is driven by electronic rather than structural instabilities²⁰, it will be of interest to determine whether any of the transitions or structural changes in BaPt₂As₂ also have an electronic origin. The relationship between the high temperature transitions and the superconductivity also needs to be further investigated and compared to both the cuprate and iron based materials, but the significantly lower values of T_c may be a result of the lack of a spin fluctuation mediated pairing mechanism.

In conclusion, using single crystal XRD measurements we have identified that a CDW state exists in BaPt₂As₂ in ambient conditions, and that the transition at $T_1 = 275$ K corresponds to a change of the superlattice structure. The application of pressure results in a

rich phase diagram. Pressure suppresses the CDW transition at T_1 until it disappears at around $p_1 = 7$ kbar, which leads to an enhancement of T_c . Upon further increasing the pressure, new high temperature transitions are observed in the resistivity, which are correlated with an additional increase of T_c . Since these results indicate the presence of multiple instabilities at high temperatures, BaPt₂As₂ may provide a platform for studying the competition between different interactions and their interplay with superconductivity. Further experiments such as NMR and XRD under pressure, as well as theoretical calculations are needed to characterize the origin of these transitions and elucidate the mechanisms which lead to these exotic behaviors.

ACKNOWLEDGMENTS

We thank C. Cao for interesting discussions. The work at Zhejiang University was supported by the National Natural Science Foundation of China (No.11474251 and No.11374257), National Key R&D Program of the MOST of China (No. 2016YFA0300202) and the Science Challenge Program of China. The work at Argonne was supported by the Office of Science, Office of Basic Energy Sciences, Division of Materials Sciences, US Department of Energy, under contract DE-AC02-06CH11357 (BES-DMSE).

* hqyuan@zju.edu.cn

- ¹ J. Paglione and R. L. Greene, High-temperature superconductivity in iron-based materials. *Nat. Phys.* **6**, 645-658 (2010).
- ² X. H. Chen, P. C. Dai, D. L. Feng, T. Xiang and F. -C. Zhang, Iron-based high transition temperature superconductors. *Natl. Sci. Rev.* **1**, 371-395 (2014).
- ³ F. Steglich, J. Aarts, C. D. Bredl, W. Lieke, D. Meschede, W. Franz, and H. Schäfer, Superconductivity in the Presence of Strong Pauli Paramagnetism: CeCu₂Si₂. *Phys. Rev. Lett.* **43**, 1892-1896 (1979).
- ⁴ P. Gegenwart, C. Langhammer, C. Geibel, R. Helfrich, M. Lang, G. Sparn, F. Steglich, R. Horn, L. Donnevert, A. Link, and W. Assmus, Breakup of Heavy Fermions on the Brink of Phase A in CeCu₂Si₂. *Phys. Rev. Lett.* **81**, 1501 (1998).
- ⁵ H. Q. Yuan, F. M. Grosche, M. Deppe, C. Geibel, G. Sparn, and F. Steglich, Observation of two distinct superconducting phases in CeCu₂Si₂. *Science* **302**, 2104-2107 (2003).
- ⁶ A. T. Holmes, D. Jaccard and K. Miyake, Signatures of valence fluctuations in CeCu₂Si₂ under high pressure, *Phys. Rev. B* **69**, 024508 (2004).
- ⁷ For a review, see A. M. Gabovich, A. I. Voitenko, and M. Ausloos, Charge- and spin-density waves in existing superconductors: competition between Cooper pairing and Peierls or excitonic instabilities, *Phys. Rep.* **367**, 583 (2002).
- ⁸ M. Hoesch *et al.*, Splitting in the Fermi surface of ZrTe₃: A surface charge density wave system. *Phys. Rev. B* **80**, 075423 (2009).
- ⁹ E. Morosan *et al.*, Superconductivity in Cu_xTiSe₂, *Nat. Phys.* **2**, 544 (2006).
- ¹⁰ J. M. Tranquada *et al.*, Evidence for stripe correlations of spins and holes in copper oxide superconductors, *Nature* **375**, 561-563 (1995).
- ¹¹ T. Wu *et al.*, Magnetic-field-induced charge-stripe order in the high-temperature superconductor YBa₂Cu₃O_y, *Nature* **477**, 191-194 (2011).
- ¹² G. Ghiringhelli *et al.*, Long-Range Incommensurate Charge Fluctuations in (Y,Nd)Ba₂Cu₃O_{6+x}, *Science* **337**, 821-825 (2012).
- ¹³ R. Comin *et al.*, Symmetry of charge order in cuprates, *Nature Materials* **14**, 796-800 (2015).
- ¹⁴ Y. X. Wang *et al.*, Enhancement of superconductivity at the onset of charge-density-wave order in a metal, *Phys. Rev. B* **92**, 125108 (2015).
- ¹⁵ H. Freire *et al.*, Renormalization group analysis of the pair-density-wave and charge order within the fermionic hot-spot model for cuprate superconductors. *Phys. Rev. B* **92**, 045132 (2015).
- ¹⁶ M. Rotter, M. Tegel, and D. Johrendt, Superconductivity at 38 K in the Iron Arsenide (Ba_{1-x}K_x)Fe₂As₂. *Phys. Rev. Lett.* **101**, 107006 (2008).
- ¹⁷ M. Yi *et al.*, Symmetry-breaking orbital anisotropy observed for detwinned Ba(Fe_{1-x}Co_x)₂As₂ above the spin density wave transition, *Proc. Natl. Acad. Sci. USA* **108**, 6878-6883 (2011).
- ¹⁸ M. G. Kim *et al.*, Character of the structural and mag-

- netic phase transitions in the parent and electron-doped BaFe_2As_2 compounds, *Phys. Rev. B* **83**, 134522 (2011).
- ¹⁹ J.-H. Chu *et al.*, Divergent Nematic Susceptibility in an Iron Arsenide Superconductor, *Science* **337**, 710 (2012).
 - ²⁰ R. M. Fernandes, A. V. Chubukov and J. Schmalian, What drives nematic order in iron-based superconductors?, *Nature Phys.* **10**, 97-104 (2014).
 - ²¹ F. Ronning, N. Kurita, E. D. Bauer, B. L. Scott, T. Park, T. Klimczuk, R. Movshovich, and J. D. Thompson, The first order phase transition and superconductivity in BaNi_2As_2 single crystals. *J. Phys.: Condens. Matter* **20**, 342203 (2008).
 - ²² K. Kudo *et al.*, Coexistence of Superconductivity and Charge Density Wave in SrPt_2As_2 . *J. Phys. Soc. Jpn* **79**, 123710 (2010).
 - ²³ M. Imai *et al.*, Superconductivity in 122 antimonide SrPt_2Sb_2 Supercond. *Sci. Technol.* **26**, 075001 (2013).
 - ²⁴ A. F. Fanget *et al.*, Single-crystal growth and optical conductivity of SrPt_2As_2 superconductors, *Phys. Rev. B* **85**, 184520 (2012).
 - ²⁵ A. Imre *et al.*, Modulated crystal structures and phase transitions - The compounds SrPt_2As_2 and EuPt_2As_2 . *Z. Anorg. Allg. Chem.* **633**, 2037 (2007).
 - ²⁶ W. Li *et al.*, Two-coupled structural modulations in charge-density-wave state of SrPt_2As_2 superconductor, *Chin. Phys. B* **23**, 086103 (2014).
 - ²⁷ S. Kawasaki *et al.*, Coexistence of multiple charge-density waves and superconductivity in SrPt_2As_2 revealed by ^{75}As -NMR/NQR and ^{195}Pt -NMR, *Phys. Rev. B* **91**, 060510(R) (2015).
 - ²⁸ W. B. Jiang *et al.*, Superconductivity and structural distortion in BaPt_2As_2 , *J. Phys.: Condens. Matter* **27**, 022202 (2015).
 - ²⁹ N. R. Werthamer, E. Helfand, and P. C. Hohenberg, Temperature and Purity Dependence of the Superconducting Critical Field, H_{c2} . III. Electron Spin and Spin-Orbit Effects, *Phys. Rev.* **147**, 295 (1965).
 - ³⁰ K. Murata, H. Yoshino, H. O. Yadav, Y. Honda, and N. Shirakawa, Pt resistor thermometry and pressure calibration in a clamped pressure cell with the medium, *Daphne* 7373, *Rev. Sci. Instrum.* **68**, 2490 (1997).
 - ³¹ F. Ronning, E. D. Bauer, T. Park, S.-H. Baek, H. Sakai, and J. D. Thompson, Superconductivity and the effects of pressure and structure in single-crystalline SrNi_2P_2 , *Phys. Rev. B* **79**, 134507 (2009).